AUTHOR INDEX

Abdollahi, M. *see* Salari, P.
Aghayan, S. *see* Amini, H.
Agnew, L.L., Guffogg, S.P., Matthias, A., Lehmann, R.P., Bone, K.M. & Watson, K. Echinacea intake induces an immune response through altered expression of leucocyte hsp70, increased white cell counts and improved erythrocyte antioxidant defences, 363
Akhondzadeh, S. *see* Amini, H.
Allgood, L.D., Grender, J.M., Shaw, M.J. & Peura, D.A. Comparison of Prilosec OTC™ (omeprazole magnesium 20.6 mg) to placebo for 14 days in the treatment of frequent heartburn, 105
Al-Nasan, A. *see* Arafat, T.
Amin, A.A., Snow, R.W. & Kokwaro, G.O. The quality of sulphadoxine-pyrimethamine and amodiaquine products in the Kenyan retail sector, 559
Amini, H., Aghayan, S., Jalili, S.A., Akhondzadeh, S., Yahyazadeh, O. & Pakravan-Nejad, M. Comparison of mirtazapine and fluoxetine in the treatment of major depressive disorder: a double-blind, randomized trial, 133
Anderson, P.J. *see* Critchley, J.A.J.H.
Arafat, T., Awad, R., Hamad, M., Azzam, R., Al-Nasan, A., Jehanli, A. & Matalka, K. Pharmacokinetics and pharmacodynamics profiles of enalapril maleate in healthy volunteers following determination of enalapril and enalaprilat by two specific enzyme immunoassays, 319
Armstrong, D. *see* Griffiths, L.
Avery, A.J. *see* Kroese, W.L.G.
Awad, R. *see* Arafat, T.
Azzam, R. *see* Arafat, T.

Bahaadini, K. *see* Salari, P.
Baloğlu, E. *see* Pamir, T.
Barber, N., Bradley, C., Barry, C., Stevenson, F., Britten, N. & Jenkins, L. Measuring the appropriateness of prescribing in primary care: are current measures complete?, 533
Barry, C. *see* Barber, N.
Barthélémy, C. *see* Odou, P.
Behan, K., Cutts, C. & Tett, S.E. Motivations and perceived influences on rural and urban general practitioners when prescribing conventional non-steroidal anti-inflammatory drugs or COX-2 inhibitors, 337
Beniowski, M. *see* Marek, B.
Beppler, G.A. *see* Craig, M.A.
Bereznicki, L.R. *see* Jackson, S.L.
Berger, K., Eickhoff, C. & Schulz, M. Counselling quality in community pharmacies: implementation of the pseudo customer methodology in Germany, 45
van den Bergh, W.M. *see* van Norden, A.G.W.
Berkovitch, M. *see* Greenberg, R.
Bielecka-Grzela, S. & Klimowicz, A. Penetration of ciprofloxacin and its desethylenemetabolite into skin in humans after a single oral dose of the parent drug assessed by cutaneous microdialysis, 383
Bies, R.R. *see* Kane-Gill, S.L.
Bobek, M.B. *see* Kane-Gill, S.L.
Bone, K.M. *see* Agnew, L.L.
Borgiel-Marek, H. *see* Marek, B.
Botta, C. *see* Pourroy, B.
Bradley, C. *see* Barber, N.
Braguer, D. *see* Pourroy, B.
Braun, U. *see* Poon, I.O.
Brique, S. *see* Odou, P.
Britten, N. *see* Barber, N.
Brown, N.S. *see* Kroese, W.L.G.
Brunhes, A. *see* Desfrere, L.
Bryan, S. *see* Greenfield, S.
Burnier Jr, M.N. *see* Ventura, M.P.
Bush, N. *see* Griffiths, L.
Bush, T.M. *see* Chung, L.
Buzdar, A.U. *see* Yamaya, H.

Caliendo, G.C. *see* Cheng, J.W.M.
Calvo, M.V. *see* Lukas, J.C.
Calvo, R. *see* Lukas, J.C.
Chabot, I. *see* Côté, I.
Chakravarty, E.F. *see* Chung, L.
Chan, K. *see* Lindsay, M.
Chang, J.-G. *see* Lu, H.-F.
Chang, J.-Y. *see* Lu, H.-F.
Charnock, C., Finsrud, T. & Foss, C. Controlling the proliferation of *Zygosaccharomyces bailii* in ephedrine anti-phlegm cough mixture, 329
Chen, C.-M. *see* Lu, H.-F.
Chen, K., Wang, R., Wen, S.-Y., Li, J. & Wang, S.-Q. Relationship of P450 2C9 genetic polymorphisms in Chinese and the pharmacokinetics of tolbutamide, 241
Chen, S.-W., Hwang, W.-S., Tsao, C.-J., Liu, H.-S. & Huang, G.-C. Hydroxyurea and splenic irradiation-induced tumour lysis syndrome: a case report and review of the literature, 623
Cheng, J.W.M., Merl, M.Y., Nguyen, H.M., Caliendo, G.C. & Meyers, J. Nesiritide utilization evaluation in a university teaching hospital, 447
Cheung, B.M.Y., Wong, Y.L. & Lau, C.P. Queen Mary Utilization of Antihypertensive Drugs Study: side-effects of antihypertensive drugs, 391
Chevret, S. *see* Desfrere, L.
Chevret, S. *see* Treluyer, J.-M.
Chiadmi, F., Daroso, J., Schlatter, J., Cisternino, S., Ratiney, R. & Fontan, J.E. Stability of doxorubicin combined with Radioselectan®, a contrast agent, for chemoembolization, 255
Chongsuvivatwong, V. *see* Janchawee, B.
Choo, C.L. *see* Jenkins, B.G.
Chui, W.K. & Li, S.C. Advice-giving on self-medication: perspectives of community pharmacists and consumers in Singapore, 225
Chung, L., Chakravarty, E.F., Kearns, P., Wang, C. & Bush, T.M. Bleeding complications in patients on celecoxib and warfarin, 471
Cisternino, S. *see* Chiadmi, F.
Coffiner, M. *see* Malonne, H.
Coleman, J.J. Presenting information on risks, 511
Cooke, C.A. *see* Whelan, A.M.
Côté, I., Moisan, J., Chabot, I. & Grégoire, J.-P. Health-related quality of life in hypertension: impact of a pharmacy intervention programme, 355
Craig, M.A., Beppler, G.A., Santos, C. & Raffa, R.B. A second (non-genomic) steroid mechanism of action: possible opportunity for novel pharmacotherapy?, 305
Critchley, J.A.J.H., Critchley, L.A.H., Anderson, P.J. & Tomlinson, B. Differences in the single-oral-dose pharmacokinetics and urinary excretion of paracetamol and its conjugates between Hong Kong Chinese and Caucasian subjects, 179

© 2005 Blackwell Publishing Ltd

Critchley, L.A.H. *see* Critchley, J.A.J.H.
Cuadrado, J.M. *see* Jover, F.
Cutts, C. *see* Behan, K.

Daroso, J. *see* Chiadmi, F.
Dasta, J.F. *see* Kane-Gill, S.L.
Daubert, G.P. The white clot syndrome, 503
Daugherty, K.K. Samples: to use or not to use?, 505
Dautzenberg, M.G.H. *see* Denneboom, W.
De Smet, P.A.G.M. *see* Denneboom, W.
Denneboom, W., Dautzenberg, M.G.H., Grol, R. & De Smet, P.A.G.M. User-related pharmaceutical care problems and factors affecting them: the importance of clinical relevance, 215
Desfrere, L., Zohar, S., Morville, P., Brunhes, A., Chevret, S., Pons, G., Moriette, G., Rey, E. & Treluyer, J.M. Dose-finding study of ibuprofen in patent ductus arteriosus using the continual reassessment method, 121
Dollman, W.B., LeBlanc, V.T., Stevens, L., O'Connor, P.J., Roughead, E.E. & Gilbert, A.L. Achieving a sustained reduction in benzodiazepine use through implementation of an area-wide multi-strategic approach, 425

Eickhoff, C. *see* Berger, K.
El-Solh, A.A. *see* Ramadan, F.H.

Feng, Y. *see* Kane-Gill, S.L.
Ferrari, N. *see* Odou, P.
Fila, A. *see* Marek, B.
Filipczyk, P. *see* Marek, B.
Finsrud, T. *see* Charnock, C.
Fontaine, D. *see* Malonne, H.
Fontan, J.E. *see* Chiadmi, F.
Foss, C. *see* Charnock, C.
Fujita, T., Yokota, S., Sawada, M., Majima, M., Ohtani, Y. & Kumagai, Y. Effect of MKC-733, a 5-HT_3 receptor partial agonist, on bowel motility and symptoms in subjects with constipation: an exploratory study, 611
Fukuda, T., Yukawa, E., Kondo, G., Maeda, T., Shin-o, T., Kondo, Y., Imamura, T., Irikura, M. & Irie, T. Population pharmacokinetics of theophylline in very premature Japanese infants with apnoea, 591

Gil, A.D. *see* Lukas, J.C.
Gilbert, A.L. *see* Dollman, W.B.
Gill, P. *see* Greenfield, S.
Girard, T. *see* Li Wan Po, A.
Girard, T. Dosing of midazolam in neonates, 423
Goldstein, L. *see* Greenberg, R.
Goto, T. *see* Takada, M.
Greenberg, R., Grossman, Z., Goldstein, L., Berkovitch, M. & Kozer, E. How much acetaminophen do paediatricians prescribe? A survey among Israeli paediatricians, 443
Greenfield, S., Bryan, S., Gill, P., Gutridge, K. & Marshall, T. Factors influencing clinicians' decisions to prescribe medication to prevent coronary heart disease, 77
Grégoire, J.-P. *see* Côté, I.
Grender, J.M. *see* Allgood, L.D.
Griffiths, L., Bush, N., Mottram, D. & Armstrong, D. A study of the management of erectile dysfunction in general practice, 297
Grol, R. *see* Denneboom, W.
Grossman, Z. *see* Greenberg, R.
Guffogg, S.P. *see* Agnew, L.L.
Gundgaard, J. *see* Nielsen, M.W.
Gunji, T. *see* Takada, M.
Gutridge, K. *see* Greenfield, S.

Hadavand, N. *see* Salari, P.
Hamad, M. *see* Arafat, T.
Han, L.K. *see* Lindsay, M.
Hansen, E.H. *see* Nielsen, M.W.
Hasegawa, R. *see* Saito, M.
Hebron, Y., Tettey, J.N.A., Pournamdari, M. & Watson, D.G. The chemical and pharmaceutical equivalence of sulphadoxine/pyrimethamine tablets sold on the Tanzanian market, 575
Heiser, P. *see* Wehmeier, P.M.
Helin-Salmivaara, A., Huupponen, R., Virtanen, A. & Klaukka, T. Adoption of celecoxib and rofecoxib: a nationwide database study, 145
Hill, C. *see* Martin, U.
Hing, W.C., Yeoh, T.T., Yeoh, S.F., Lin, R.T.P. & Li, S.C. An evaluation of antimicrobial prophylaxis in paediatric surgery and its financial implication, 371
Hippisley-Cox, J. *see* Kroese, W.L.G.
Hirata-Koizumi, M. *see* Saito, M.
Hirooka, K. *see* Saito, M.
Honda, K. *see* Nagashima, A.
Hong, S.H., Spadaro, D., West, D. & Tak, S.H. Patient valuation of pharmacist services for self care with OTC medications, 193
Horsfield, P. *see* Kroese, W.L.G.
Howard, R. *see* Kroese, W.L.G.
Hsueh, S.-C. *see* Lu, H.-F.
Huang, G.-C. *see* Chen, S.-W.
Huang, Y.-H. *see* Ren, X.S.
Hubert, P. *see* Treluyer, J.-M.
Hughes, C.M. *see* Wazaify, M.
Huupponen, R. *see* Helin-Salmivaara, A.
Hwang, W.-S. *see* Chen, S.-W.

Imamura, T. *see* Fukuda, T.
Inomata, S. *see* Nagashima, A.
Irie, T. *see* Fukuda, T.
Irikura, M. *see* Fukuda, T.
Iserin, F. *see* Treluyer, J.-M.
Ishii, T. *see* Ozaki, H.
Ishikawa, T. *see* Ozaki, H.
Ismail, R. *see* Muthiah, Y.D.
Isobe, F. *see* Saito, M.

Jackson, S.L., Peterson, G.M., Bereznicki, L.R., Misan, G.M., Jupe, D.M.L. & Vial, J.H. Improving the outcomes of anticoagulation in rural Australia: an evaluation of pharmacist-assisted monitoring of warfarin therapy, 345
Jalili, S.A. *see* Amini, H.
Janchawee, B., Owatranporn, T., Mahatthanatrakul, W. & Chongsuvivatwong, V. Clinical drug interactions in outpatients of a university hospital in Thailand, 583
Janchawee, B., Wongpoowarak, W., Owatranporn, T. & Chongsuvivatwong, V. Pharmacoepidemiologic study of potential drug interactions in outpatients of a university hospital in Thailand, 13
Janczewska-Kazek, E. *see* Marek, B.
Jehanli, A. *see* Arafat, T.
Jenkins, B.G., Tuffin, P.H.R., Choo, C.L. & Schug, S.A. Opioid prescribing: an assessment using quality statements, 597
Jenkins, L. *see* Barber, N.
Jittangtrong, J. *see* Poolsup, N.
Jover, F., Cuadrado, J.M. & Merino, J. Possible azithromycin-associated hiccups, 413
Jugie, M. *see* Treluyer, J.-M.
Jupe, D.M.L. *see* Jackson, S.L.

Kajdaniuk, D. *see* Marek, B.
Kajdaniuk, J. *see* Marek, B.

Kane-Gill, S.L., Feng, Y., Bobek, M.B., Bies, R.R., Pruchnicki, M.C. & Dasta, J.F. Administration of enoxaparin by continuous infusion in a naturalistic setting: analysis of renal function and safety, 207
Kang, W. *see* Yun, H.-Y.
Kang, W.K., Yun, H.-Y. & Kwon, K.-I. Assessing the bioequivalence of 4- and 8-mg benidipine tablets in healthy volunteers after a single oral dose, 85
Kawato, N. *see* Takada, M.
Kazis, L. *see* Ren, X.S.
Kearns, P. *see* Chung, L.
Kennedy, S. *see* Wazaify, M.
Khanthong, M. *see* Poolsup, N.
Kinoshita, H. *see* Yukawa, E.
Klaukka, T. *see* Helin-Salmivaara, A.
Klimowicz, A. *see* Bielecka-Grzela, S.
Kokwaro, G.O. *see* Amin, A.A.
Kondo, G. *see* Fukuda, T.
Kondo, Y. *see* Fukuda, T.
Kos-Kudla, B. *see* Marek, B.
Kotake, T. *see* Takada, M.
Kozer, E. *see* Greenberg, R.
Kroese, W.L.G., Avery, A.J., Savelyich, B.S.P., Brown, N.S., Schers, H., Howard, R., Hippisley-Cox, J. & Horsfield, P. Assessing the accuracy of a computerized decision support system for digoxin dosing in primary care: an observational study, 279
Kumagai, Y. *see* Fujita, T.
Kuritani, J. *see* Yamaya, H.
Kwon, K.-I. *see* Kang, W.K.
Kwon, K.-I. *see* Yun, H.-Y.

Lacarelle, B. *see* Pourroy, B.
Lanao, J.M. *see* Lukas, J.C.
Lau, C.P. *see* Cheung, B.M.Y.
LeBlanc, V.T. *see* Dollman, W.B.
Lee, A. *see* Lindsay, M.
Lee, A.F. *see* Ren, X.S.
Lee, W.L. *see* Muthiah, Y.D.
Leelasangaluk, V. *see* Poolsup, N.
Lehmann, R.P. *see* Agnew, L.L.
Lenclen, R. *see* Treluyer, J.-M.
Leone, H. & Polsonetti, B.W. Amantadine for traumatic brain injury: does it improve cognition and reduce agitation?, 101
Lhermitte, M. *see* Odou, P.
Li Wan Po, A. & Girard, T. Succinylcholine: still beautiful and mysterious after all these years, 497
Li Wan Po, A. Drug evaluation, drug development and pharmacogenetics: celebrating 30 years of progress, 1
Li Wan Po, A. Drug-drug interactions and adverse drug reactions: the bollards and flashing lights syndrome, 97
Li, J. *see* Chen, K.
Li, S.C. *see* Chui, W.K.
Li, S.C. *see* Hing, W.C.
Libersa, C. *see* Odou, P.
Lin, R.T.P. *see* Hing, W.C.
Lindsay, M., Lee, A., Chan, K., Poon, P., Han, L.K., Wong, W.C.W. & Wong, S. Does pulmonary rehabilitation give additional benefit over tiotropium therapy in primary care management of chronic obstructive pulmonary disease? Randomized controlled clinical trial in Hong Kong Chinese, 567
Liu, H.-S. *see* Chen, S.-W.
Lohitnavy, M., Lohitnavy, O., Thangkeattiyanon, O. & Srichai, W. Reduced oral itraconazole bioavailability by antacid suspension, 201
Lohitnavy, O. *see* Lohitnavy, M.
Lu, H.-F., Shih, M.-C., Hsueh, S.-C., Chen, C.-M., Chang, J.-Y. & Chang, J.-G. Molecular analysis of the thiopurine S-methyltransferase alleles in Bolivians and Tibetans, 491
Lukas, J.C., Suárez, A.M., Valverde, M.P., Calvo, M.V., Lanao, J.M., Calvo, R., Suarez, E. & Gil, A.D. Time-dependent pharmacokinetics of cyclosporine (Neoral®) in *de novo* renal transplant patients, 549

McElnay, J.C. *see* Wazaify, M.
Maeda, T. *see* Fukuda, T.
Mahatthanatrakul, W. *see* Janchawee, B.
Mahatthanatrakul, W. *see* Ridtitid, W.
Majima, M. *see* Fujita, T.
Malonne, H., Coffiner, M., Fontaine, D., Sonet, B., Sereno, A., Peretz, A. & Vanderbist, F. Long-term tolerability of tramadol LP, a new once-daily formulation, in patients with osteoarthritis or low back pain, 113
Marek, B., Kajdaniuk, D., Mazurek, U., Janczewska-Kazek, E., Kos-Kudla, B., Strzalka, B., Fila, A., Niedziolka, D., Beniowski, M., Ostrowska, Z., Borgiel-Marek, H., Kajdaniuk, J., Sieminska, L., Nowak, M., Wilczok, T., Pakula, D. & Filipczyk, P. TGF-β1 mRNA expression in liver biopsy specimens and TGF-β1 serum levels in patients with chronic hepatitis C before and after antiviral therapy, 271
Marshall, T. *see* Greenfield, S.
Martin, U., Hill, C. & O' Mahony, D. Use of moxonidine in elderly patients with resistant hypertension, 433
Masoodi, N. *see* Ramadan, F.H.
Matalka, K. *see* Arafat, T.
Matthias, A. *see* Agnew, L.L.
May, D.B. *see* Pound, M.W.
Mazurek, U. *see* Marek, B.
Merino, J. *see* Jover, F.
Merl, M.Y. *see* Cheng, J.W.M.
Meyers, J. *see* Cheng, J.W.M.
Miller, D.R. *see* Ren, X.S.
Minemoto, M. *see* Yukawa, E.
Misan, G.M. *see* Jackson, S.L.
Misawa, S. *see* Nagashima, A.
Miyake, S. *see* Saito, M.
Miyashita, Y. *see* Ozaki, H.
Moharreri, M. *see* Salari, P.
Moisan, J. *see* Côté, I.
Mojtahedzadeh, M. *see* Salari, P.
Moriette, G. *see* Desfrere, L.
Morville, P. *see* Desfrere, L.
Mottram, D. *see* Griffiths, L.
Murano, T. *see* Ozaki, H.
Muthiah, Y.D., Lee, W.L., Teh, L.K., Ong, C.E. & Ismail, R. Genetic polymorphism of *CYP2C8* in three Malaysian ethnics: *CYP2C8*2* and *CYP2C8*3* are found in Malaysian Indians, 487

Nagashima, A., Tanaka, E., Inomata, S., Honda, K. & Misawa, S. A study of the *in vitro* interaction between lidocaine and premedications using human liver microsomes, 185
Nagayama, S. *see* Yamaya, H.
Najafi, A. *see* Salari, P.
Nakai, M. *see* Takada, M.
Naunton, M. *see* Peterson, G.M.
Nguyen, H.M. *see* Cheng, J.W.M.
Niedziolka, D. *see* Marek, B.
Nielsen, M.W., Gundgaard, J., Hansen, E.H. & Rasmussen, N.K. Use of six main drug therapeutic groups across educational groups: self-reported survey and prescription records, 259

van Norden, A.G.W., van den Bergh, W.M. & Rinkel, G.J.E. Dose evaluation for long-term magnesium treatment in aneurysmal subarachnoid haemorrhage, 439
Nowak, M. *see* Marek, B.
Nsimba, S.E.D. & Rimoy, G.H. Self-medication with chloroquine in a rural district of Tanzania: a therapeutic challenge for any future malaria treatment policy change in the country, 515

O'Connor, P.J. *see* Dollman, W.B.
Odou, P., Ferrari, N., Barthélémy, C., Brique, S., Lhermitte, M., Vincent, A., Libersa, C. & Robert, H. Grapefruit juice–nifedipine interaction: possible involvement of several mechanisms, 153
Ohtani, Y. *see* Fujita, T.
Okada, H. *see* Takada, M.
Önal, B. *see* Pamir, T.
Ong, C.E. *see* Muthiah, Y.D.
O' Mahony, D. *see* Martin, U.
Orio, K. *see* Yukawa, E.
Ostrowska, Z. *see* Marek, B.
Owatranporn, T. *see* Janchawee, B.
Ozaki, H., Ishikawa, T., Ishii, T., Toyoda, A., Murano, T., Miyashita, Y. & Shirai, K. Clearance rates of cerivastatin metabolites in a patient with cerivastatin-induced rhabdomyolysis, 189
Özyazici, M. *see* Pamir, T.

Pakravan-Nejad, M. *see* Amini, H.
Pakula, D. *see* Marek, B.
Pamir, T., Özyazici, M., Baloğlu, E. & Önal, B. The efficacy of three desensitizing agents in treatment of dentine hypersensitivity, 73
Peretz, A. *see* Malonne, H.
Peterson, G.M. & Naunton, M. Valproate: a simple chemical with so much to offer, 417
Peterson, G.M. *see* Jackson, S.L.
Peura, D.A. *see* Allgood, L.D.
Polsonetti, B.W. *see* Leone, H.
Pons, G. *see* Desfrere, L.
Pons, G. *see* Treluyer, J.-M.
Poolsup, N., Leelasangaluk, V., Jittangtrong, J., Rithlamlert, C., Ratanapantamanee, N. & Khanthong, M. Efficacy and tolerability of frovatriptan in acute migraine treatment: systematic review of randomized controlled trials, 521
Poon, I.O. & Braun, U. High prevalence of orthostatic hypotension and its correlation with potentially causative medications among elderly veterans, 173
Poon, P. *see* Lindsay, M.
Pound, M.W. & May, D.B. Proposed mechanisms and preventative options of Jarisch–Herxheimer reactions, 291
Pournamdari, M. *see* Hebron, Y.
Pourroy, B., Botta, C., Solas, C., Lacarelle, B. & Braguer, D. Seventy-two-hour stability of Taxol® in 5% dextrose or 0.9% sodium chloride in Viaflo®, Freeflex®, Ecoflac® and Macoflex N® non-PVC bags, 455
Pruchnicki, M.C. *see* Kane-Gill, S.L.

Qian, S. *see* Ren, X.S.

Raffa, R.B. *see* Craig, M.A.
Ramadan, F.H., Masoodi, N. & El-Solh, A.A. Clinical factors associated with hyperkalemia in patients with congestive heart failure, 233
Rasmussen, N.K. *see* Nielsen, M.W.
Ratanapantamanee, N. *see* Poolsup, N.
Ratiney, R. *see* Chiadmi, F.
Raungsri, N. *see* Ridtitid, W.
Remschmidt, H. *see* Wehmeier, P.M.
Ren, X.S., Huang, Y.-H., Lee, A.F., Miller, D.R., Qian, S. & Kazis, L. Adjunctive use of atypical antipsychotics and anticholinergic drugs among patients with schizophrenia, 65
Rey, E. *see* Desfrere, L.
Rey, E. *see* Treluyer, J.-M.
Ridtitid, W., Wongnawa, M., Mahatthanatrakul, W., Raungsri, N. & Sunbhanich, M. Ketoconazole increases plasma concentrations of antimalarial mefloquine in healthy human volunteers, 285
Rimoy, G.H. *see* Nsimba, S.E.D.
Rinkel, G.J.E. *see* van Norden, A.G.W.
Rithlamlert, C. *see* Poolsup, N.
Robert, H. *see* Odou, P.
Roughead, E.E. *see* Dollman, W.B.

Sadraie, S. *see* Salari, P.
Saheb, N.E. *see* Ventura, M.P.
Saito, M., Hirata-Koizumi, M., Urano, T., Miyake, S. & Hasegawa, R. A literature search on pharmacokinetic drug interactions of statins and analysis of how such interactions are reflected in package inserts in Japan, 21
Saito, M., Takada, M., Hirooka, K., Isobe, F. & Yasumura, Y. Serum concentration of potassium in chronic heart failure patients administered spironolactone plus furosemide and either enalapril maleate, losartan potassium or candesartan cilexetil, 603
Saito, M. *see* Takada, M.
Salari, P., Mojtahedzadeh, M., Najafi, A., Sadraie, S., Bahaadini, K., Moharreri, M., Hadavand, N. & Abdollahi, M. Comparison of the effect of aminophylline and low PEEP vs. high PEEP on EGF concentration in critically ill patients with ALI/ARDS, 139
Santos, C. *see* Craig, M.A.
Saraiva, V.S. *see* Ventura, M.P.
Savelyich, B.S.P. *see* Kroese, W.L.G.
Sawada, M. *see* Fujita, T.
Schers, H. *see* Kroese, W.L.G.
Schlatter, J. *see* Chiadmi, F.
Schug, S.A. *see* Jenkins, B.G.
Schulz, M. *see* Berger, K.
Sereno, A. *see* Malonne, H.
Shaw, M.J. *see* Allgood, L.D.
Shibakawa, M. *see* Takada, M.
Shih, M.-C. *see* Lu, H.-F.
Shindo, T. *see* Yamaya, H.
Shin-o, T. *see* Fukuda, T.
Shirai, K. *see* Ozaki, H.
Sieminska, L. *see* Marek, B.
Sing Ranger, G. Current concepts in the endocrine therapy of breast cancer: tamoxifen and aromatase inhibitors, 313
Sketris, I.S. *see* Whelan, A.M.
Snow, R.W. *see* Amin, A.A.
Solari, H.P. *see* Ventura, M.P.
Solas, C. *see* Pourroy, B.
Sonet, B. *see* Malonne, H.
Spadaro, D. *see* Hong, S.H.
Srichai, W. *see* Lohitnavy, M.
Stevens, L. *see* Dollman, W.B.
Stevenson, F. *see* Barber, N.
Strzalka, B. *see* Marek, B.
Suárez, A.M. *see* Lukas, J.C.
Suarez, E. *see* Lukas, J.C.
Suematsu, F. *see* Yukawa, E.
Sunbhanich, M. *see* Ridtitid, W.

Tak, S.H. *see* Hong, S.H.
Takada, M., Goto, T., Kotake, T., Saito, M., Kawato, N., Nakai, M., Gunji, T. & Shibakawa, M. Appropriate dosing of antiarrhythmic drugs in Japan requires therapeutic drug monitoring, 5
Takada, M., Okada, H., Kotake, T., Kawato, N., Saito, M., Nakai, M., Gunji, T. & Shibakawa, M. Appropriate dosing regimen of allopurinol in Japanese patients, 407
Takada, M. *see* Saito, M.
Tanaka, E. *see* Nagashima, A.
Teh, L.K. *see* Muthiah, Y.D.
Terao, K. *see* Yukawa, E.
Tett, S.E. *see* Behan, K.
Tettey, J.N.A. *see* Hebron, Y.
Thangkeattiyanon, O. *see* Lohitnavy, M.
Tomlinson, B. *see* Critchley, J.A.J.H.
Toyoda, A. *see* Ozaki, H.
Treluyer, J.-M., Zohar, S., Rey, E., Hubert, P., Iserin, F., Jugie, M., Lenclen, R., Chevret, S. & Pons, G. Minimum effective dose of midazolam for sedation of mechanically ventilated neonates, 479
Treluyer, J.M. *see* Desfrere, L.
Truter, I. Methylphenidate: prescribing patterns in a South African primary care patient population, 59
Tsao, C.-J. *see* Chen, S.-W.
Tsuda, M. *see* Yamaya, H.
Tuffin, P.H.R. *see* Jenkins, B.G.

Urano, T. *see* Saito, M.

Valverde, M.P. *see* Lukas, J.C.
Vanderbist, F. *see* Malonne, H.
Ventura, M.P., Saheb, N.E., Solari, H.P., Saraiva, V.S., Vianna, R.N.G. & Burnier Jr, M.N. Cost considerations of the new fixed combinations for glaucoma medical therapy, 251
Vial, J.H. *see* Jackson, S.L.
Vianna, R.N.G. *see* Ventura, M.P.
Vincent, A. *see* Odou, P.
Virtanen, A. *see* Helin-Salmivaara, A.

Wang, C. *see* Chung, L.
Wang, R. *see* Chen, K.
Wang, S.-Q. *see* Chen, K.
Watson, D.G. *see* Hebron, Y.
Watson, K. *see* Agnew, L.L.
Wazaify, M., Kennedy, S., Hughes, C.M. & McElnay, J.C. Prevalence of over-the-counter drug-related overdoses at Accident and Emergency departments in Northern Ireland – a retrospective evaluation, 39
Wehmeier, P.M., Heiser, P. & Remschmidt, H. Myocarditis, pericarditis and cardiomyopathy in patients treated with clozapine, 91
Wen, S.-Y. *see* Chen, K.
West, D. *see* Hong, S.H.
Whelan, A.M., Cooke, C.A. & Sketris, I.S. The impact of socio-economic and demographic factors on the utilization of smoking cessation medications in patients hospitalized with cardiovascular disease in Nova Scotia, Canada, 165
Wilczok, T. *see* Marek, B.
Wong, S. *see* Lindsay, M.
Wong, W.C.W. *see* Lindsay, M.
Wong, Y.L. *see* Cheung, B.M.Y.
Wongnawa, M. *see* Ridtitid, W.
Wongpoowarak, W. *see* Janchawee, B.

Yahyazadeh, O. *see* Amini, H.
Yamaya, H., Yoshida, K., Kuritani, J., Yonezawa, J.-i., Tsuda, M., Shindo, T., Nagayama, S. & Buzdar, A.U. Safety, tolerability, and pharmacokinetics of TAS-108 in normal healthy postmenopausal female subjects: a phase I study on single oral dose, 459
Yasumura, Y. *see* Saito, M.
Yeoh, S.F. *see* Hing, W.C.
Yeoh, T.T. *see* Hing, W.C.
Yokota, S. *see* Fujita, T.
Yonezawa, J.-i. *see* Yamaya, H.
Yoshida, K. *see* Yamaya, H.
Yukawa, E., Orio, K., Yukawa, M., Terao, K. & Kinoshita, H. Population pharmacokinetic investigation of disopyramide by mixed effect modelling using routine clinical pharmacokinetic data in Japanese patients, 401
Yukawa, E., Suematsu, F., Yukawa, M. & Minemoto, M. Population pharmacokinetic investigation of phenobarbital by mixed effect modelling using routine clinical pharmacokinetic data in Japanese neonates and infants, 159
Yukawa, E. *see* Fukuda, T.
Yukawa, M. *see* Yukawa, E.
Yun, H.-Y., Yun, M.-H., Kang, W. & Kwon, K.-I. Pharmacokinetics and pharmacodynamics of benidipine using a slow receptor-binding model, 541
Yun, H.-Y. *see* Kang, W.K.
Yun, M.-H. *see* Yun, H.-Y.

Zohar, S. *see* Desfrere, L.
Zohar, S. *see* Treluyer, J.-M.